



QF0942



| Model                             | QF0942                                              |
|-----------------------------------|-----------------------------------------------------|
| Weight capacity                   | 350lbs(158kg)                                       |
| Maximum speed                     | 6.6 km/h                                            |
| Climbing ability                  | 9 degree                                            |
| Range per charge                  | 33 km                                               |
| Turning radius                    | 50 cm                                               |
| Ground clearance(to lowest point) | 5 cm                                                |
| Controller                        | PG new VR2-40A/Dynamic LiNX-40A                     |
| Maximum Battery size              | 12V35AH*2                                           |
| Back-up battery(optional)         | N/A                                                 |
| Charger                           | 3.5/5A off-board                                    |
| Electro-Mechanical Brake          | Yes                                                 |
| Suspension System                 | NO                                                  |
| Seat lift motor                   | Optional                                            |
| Dimensions                        |                                                     |
| Overall Length                    | 82 cm                                               |
| Overall Width                     | 58 cm                                               |
| Tires                             |                                                     |
| Drive wheel                       | 9"(Front)                                           |
| Caster                            | 6"                                                  |
| Anti-tip wheel                    | 4"(Front)                                           |
| Standard Seat(optional)           |                                                     |
| Width*Depth*Height   Color        | Captain style(with headrest)<br>18"*18"*19"   Black |
| Footrest                          |                                                     |
| Height adjustable                 | Yes                                                 |
| Angle adjustable                  | 0-35 degree                                         |
| Available Colors                  |                                                     |
| ■ ■                               |                                                     |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



# QR0942 QR0942(8")



| Model                             | QR0942   QR0942(8") |
|-----------------------------------|---------------------|
| Weight capacity                   | 300lbs(135kg)       |
| Maximum speed                     | 6.6 km/h            |
| Climbing ability                  | 9 degree            |
| Range per charge                  | 21 km               |
| Turning radius                    | 45 cm               |
| Ground clearance(to lowest point) | 5 cm                |
| Controller                        | PG VR2-50A          |
| Maximum Battery size              | 12V22AH*2           |
| Back-up battery(optional)         | 12V12AH*2           |
| Charger                           | 3.5A off-board      |
| Electro-Mechanical Brake          | Yes                 |
| Suspension System                 | NO                  |
| Seat lift motor                   | NO                  |
| Dimensions                        |                     |
| Overall Length                    | 68 cm               |
| Overall Width                     | 58 cm               |
| Tires                             |                     |
| Drive wheel                       | 9"(Rear)            |
| Caster                            | 6"                  |
| Anti-tip wheel                    | 3"(Rear)            |
| Standard Seat(optional)           |                     |
| Width*Depth*Height   Color        | 17"*17"*17"   Black |
| Footrest                          |                     |
| Height adjustable                 | Yes                 |
| Angle adjustable                  | 0-35 degree         |
| Available Colors                  |                     |
| ■ ■                               |                     |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



QR0943



| Model                             | QR0943                                               |
|-----------------------------------|------------------------------------------------------|
| Weight capacity                   | 300lbs(135kg)                                        |
| Maximum speed                     | 6.6 km/h                                             |
| Climbing ability                  | 9 degree                                             |
| Range per charge                  | 21 km                                                |
| Turning radius                    | 45 cm                                                |
| Ground clearance(to lowest point) | 4 cm                                                 |
| Controller                        | PG VR2-50A                                           |
| Maximum Battery size              | 12V22AH*2                                            |
| Back-up battery(optional)         | 12V12AH*2                                            |
| Charger                           | 3.5A off-board                                       |
| Electro-Mechanical Brake          | Yes                                                  |
| Suspension System                 | Yes                                                  |
| Seat lift motor                   | Optional                                             |
| Dimensions                        |                                                      |
| Overall Length                    | 69 cm                                                |
| Overall Width                     | 56 cm                                                |
| Tires                             |                                                      |
| Drive wheel                       | 9"(Rear)                                             |
| Caster                            | 6"                                                   |
| Anti-tip wheel                    | 3"(Rear)                                             |
| Standard Seat(optional)           |                                                      |
| Width*Depth*Height   Color        | 18"*18"*17"(Stadium style)   Black:QR0943            |
|                                   | 18"*18"(Deluxe office chair)   Black & Gray:QR0943XL |
| Footrest                          |                                                      |
| Height adjustable                 | Yes                                                  |
| Angle adjustable                  | 0-35 degree                                          |
| Available Colors                  |                                                      |
| <input type="checkbox"/>          |                                                      |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



# QR0944 QR0944B



| Model                             | QR0944   QR0944B                                       |
|-----------------------------------|--------------------------------------------------------|
| Weight capacity                   | 300lbs(135kg)                                          |
| Maximum speed                     | 6.6 km/h                                               |
| Climbing ability                  | 9 degree                                               |
| Range per charge                  | 21 km                                                  |
| Turning radius                    | 45 cm                                                  |
| Ground clearance(to lowest point) | 4.5 cm                                                 |
| Controller                        | PG new VR2-40A/Dynamic LiNX-40A                        |
| Maximum Battery size              | 12V22AH*2                                              |
| Back-up battery(optional)         | 12V12AH*2                                              |
| Charger                           | 3.5A off-board                                         |
| Electro-Mechanical Brake          | Yes                                                    |
| Suspension System                 | NO                                                     |
| Seat lift motor                   | NO                                                     |
| Dimensions                        |                                                        |
| Overall Length                    | 68 cm                                                  |
| Overall Width                     | 58 cm                                                  |
| Tires                             |                                                        |
| Drive wheel                       | 9"(Rear)                                               |
| Caster                            | 6"                                                     |
| Anti-tip wheel                    | 3"(Rear)                                               |
| Standard Seat(optional)           |                                                        |
| Width*Depth*Height   Color        | Captain style(without headrest)<br>16"*16"*17"   Black |
| Footrest                          |                                                        |
| Height adjustable                 | Yes                                                    |
| Angle adjustable                  | 0-35 degree                                            |
| Available Colors                  |                                                        |
| ■ ■ ■                             |                                                        |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



QR0945A



| Model                             | QR0945A                            |
|-----------------------------------|------------------------------------|
| Weight capacity                   | 300lbs(135kg)                      |
| Maximum speed                     | 6.4 km/h                           |
| Climbing ability                  | 6 degree                           |
| Range per charge                  | 21km                               |
| Turning radius                    | 5.5 cm                             |
| Ground clearance(to lowest point) | 4.5 cm                             |
| Controller                        | DY LiNX-40A/PG new VR2-40A         |
| Maximum Battery size              | 12V22AH*2                          |
| Back-up battery(optional)         | 12V22AH*2                          |
| Charger                           | 3.5A off-board                     |
| Electro-Mechanical Brake          | Yes                                |
| Suspension System                 | N/A                                |
| Seat lift motor                   | N/A                                |
| Dimensions                        |                                    |
| Overall Length                    | 86 cm                              |
| Overall Width                     | 65 cm                              |
| Tires                             |                                    |
| Drive wheel                       | 9"(Rear)                           |
| Caster                            | 6"                                 |
| Anti-tip wheel                    | 2"                                 |
| Standard Seat(optional)           |                                    |
| Width*Depth*Height   Color        | Captain style<br>18"*17"*20" Black |
| Footrest                          |                                    |
| Height adjustable                 | Yes                                |
| Angle adjustable                  | 0-35 degree                        |
| Available Colors                  |                                    |
| Yellow Red Blue & More customized |                                    |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



QR0946



| Model                                                        | QR0946                               |
|--------------------------------------------------------------|--------------------------------------|
| Weight capacity                                              | 300lbs(135kg)                        |
| Maximum speed                                                | 6.4 km/h                             |
| Climbing ability                                             | 6 degree                             |
| Range per charge                                             | 30 km                                |
| Turning radius                                               | 45 cm                                |
| Ground clearance(to lowest point)                            | 5.5 cm                               |
| Controller                                                   | PG VR2-40A                           |
| Maximum Battery size                                         | 26AH Lithium                         |
| Back-up battery(optional)                                    | N/A                                  |
| Charger                                                      | 3.5A off-board                       |
| Electro-Mechanical Brake                                     | Yes                                  |
| Suspension System                                            | N/A                                  |
| Seat lift motor                                              | N/A                                  |
| Dimensions                                                   |                                      |
| Overall Length                                               | 86 cm                                |
| Overall Width                                                | 53 cm                                |
| Tires                                                        |                                      |
| Drive wheel                                                  | 9"(Rear)                             |
| Caster                                                       | 6"                                   |
| Anti-tip wheel                                               | 2"                                   |
| Standard Seat(optional)                                      |                                      |
| Width*Depth*Height   Color                                   | Captain style<br>17"*17"*17"   Black |
| Footrest                                                     |                                      |
| Height adjustable                                            | Yes                                  |
| Angle adjustable                                             | 0-35 degree                          |
| Available Colors                                             |                                      |
| Yellow White & More customized                               |                                      |
| <input checked="" type="checkbox"/> <input type="checkbox"/> |                                      |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



# QR0947



| Model                                                        | QR0947              |
|--------------------------------------------------------------|---------------------|
| Weight capacity                                              | 250lbs              |
| Maximum speed                                                | 6.4 km/h            |
| Climbing ability                                             | 6 degree            |
| Range per charge                                             | 25 km               |
| Turning radius                                               |                     |
| Ground clearance(to lowest point)                            | 5 cm                |
| Controller                                                   | DY LiNX-40A         |
| Maximum Battery size                                         | 20.8AH Lithium      |
| Back-up battery(optional)                                    | N/A                 |
| Charger                                                      | 3.5A off-board      |
| Electro-Mechanical Brake                                     | Yes                 |
| Suspension System                                            | Yes                 |
| Seat lift motor                                              | N/A                 |
| Dimensions                                                   |                     |
| Overall Length                                               | 98 cm               |
| Overall Width                                                | 57 cm               |
| Tires                                                        |                     |
| Drive wheel                                                  | 9"(Rear)            |
| Caster                                                       | 6"                  |
| Anti-tip wheel                                               | 3"                  |
| Standard Seat(optional)                                      |                     |
| Width*Depth*Height   Color                                   | 17"*17"*17"   Black |
| Footrest                                                     |                     |
| Height adjustable                                            | Yes                 |
| Angle adjustable                                             | 0-35 degree         |
| Available Colors                                             |                     |
| Yellow White & More customized                               |                     |
| <input checked="" type="checkbox"/> <input type="checkbox"/> |                     |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596    FAX:86-769-21666596  
E-mail:service1@cnqlt.com    <http://www.cnqlt.com>



# QM0961



| Model                                                                                                                                                                       | QM0961              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| Weight capacity                                                                                                                                                             | 300lbs(135kg)       |
| Maximum speed                                                                                                                                                               | 6.6 km/h            |
| Climbing ability                                                                                                                                                            | 9 degree            |
| Range per charge                                                                                                                                                            | 21 km               |
| Turning radius                                                                                                                                                              | 36 cm               |
| Ground clearance(to lowest point)                                                                                                                                           | 4.5 cm              |
| Controller                                                                                                                                                                  | PG VR2-50A          |
| Maximum Battery size                                                                                                                                                        | 12V22AH*2           |
| Back-up battery(optional)                                                                                                                                                   | 12V12AH*2           |
| Charger                                                                                                                                                                     | 3.5A off-board      |
| Electro-Mechanical Brake                                                                                                                                                    | Yes                 |
| Suspension System                                                                                                                                                           | Yes                 |
| Seat lift motor                                                                                                                                                             | NO                  |
| Dimensions                                                                                                                                                                  |                     |
| Overall Length                                                                                                                                                              | 78 cm               |
| Overall Width                                                                                                                                                               | 58 cm               |
| Tires                                                                                                                                                                       |                     |
| Drive wheel                                                                                                                                                                 | 9"(Middle)          |
| Caster                                                                                                                                                                      | 5"                  |
| Anti-tip wheel                                                                                                                                                              | N/A                 |
| Standard Seat(optional)                                                                                                                                                     |                     |
| Width*Depth*Height   Color                                                                                                                                                  | 17"*17"*17"   Black |
| Footrest                                                                                                                                                                    |                     |
| Height adjustable                                                                                                                                                           | Yes                 |
| Angle adjustable                                                                                                                                                            | 0-35 degree         |
| Available Colors                                                                                                                                                            |                     |
|   |                     |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596    FAX:86-769-21666596  
E-mail:service1@cnqlt.com    <http://www.cnqlt.com>



# QM1062



| Model                             | QM1062                                              |
|-----------------------------------|-----------------------------------------------------|
| Weight capacity                   | 450lbs(203kg)                                       |
| Maximum speed                     | 7 km/h                                              |
| Climbing ability                  | 9 degree                                            |
| Range per charge                  | 27/42 km                                            |
| Turning radius                    | 40 cm                                               |
| Ground clearance(to lowest point) | 11.5 cm                                             |
| Controller                        | Dynamic LiNX-60A/PG VR2-70A                         |
| Maximum Battery size              | 12V35AH*2/12V55AH*2(NF22)                           |
| Back-up battery(optional)         | N/A                                                 |
| Charger                           | 3.5/5A off-board                                    |
| Electro-Mechanical Brake          | Yes                                                 |
| Suspension System                 | NO                                                  |
| Seat lift motor                   | Optional                                            |
| Dimensions                        |                                                     |
| Overall Length                    | 88 cm                                               |
| Overall Width                     | 63 cm                                               |
| Tires                             |                                                     |
| Drive wheel                       | 10"(Middle)                                         |
| Caster                            | 6"                                                  |
| Anti-tip wheel                    | N/A                                                 |
| Standard Seat(optional)           |                                                     |
| Width*Depth*Height   Color        | Captain style(with headrest)<br>18"*18"*19"   Black |
| Footrest                          |                                                     |
| Height adjustable                 | Yes                                                 |
| Angle adjustable                  | 0-35 degree                                         |
| Available Colors                  |                                                     |
| ■ ■                               |                                                     |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596    FAX:86-769-21666596  
E-mail:service1@cnqlt.com    <http://www.cnqlt.com>



QM1063B



| Model                             | QM1063B                                             |
|-----------------------------------|-----------------------------------------------------|
| Weight capacity                   | 350lbs(158kg)                                       |
| Maximum speed                     | 7.5 km/h                                            |
| Climbing ability                  | 9 degree                                            |
| Range per charge                  | 35 km                                               |
| Turning radius                    | 40 cm                                               |
| Ground clearance(to lowest point) | 4.5 cm                                              |
| Controller                        | PG new VR2-40A/Dynamic LiNX-40A                     |
| Maximum Battery size              | 12V35AH*2                                           |
| Back-up battery(optional)         | N/A                                                 |
| Charger                           | 3.5/5A off-board                                    |
| Electro-Mechanical Brake          | Yes                                                 |
| Suspension System                 | NO                                                  |
| Seat lift motor                   | NO                                                  |
| Dimensions                        |                                                     |
| Overall Length                    | 88 cm                                               |
| Overall Width                     | 62 cm                                               |
| Tires                             |                                                     |
| Drive wheel                       | 10"(Middle)                                         |
| Caster                            | 6"                                                  |
| Anti-tip wheel                    | N/A                                                 |
| Standard Seat(optional)           |                                                     |
| Width*Depth*Height   Color        | Captain style(with headrest)<br>18"*18"*19"   Black |
| Footrest                          |                                                     |
| Height adjustable                 | Yes                                                 |
| Angle adjustable                  | 0-35 degree                                         |
| Available Colors                  |                                                     |
| ■ ■                               |                                                     |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596 FAX:86-769-21666596  
E-mail:service1@cnqlt.com <http://www.cnqlt.com>



QM1065



| Model                             | QM1065                                 |
|-----------------------------------|----------------------------------------|
| Weight capacity                   | 350lbs(158kg)   450lbs(203kg)          |
| Maximum speed                     | 7.5 km/h   9.1 km/h                    |
| Climbing ability                  | 9 degree                               |
| Range per charge                  | 35/55 km                               |
| Turning radius                    | 45 cm                                  |
| Ground clearance(to lowest point) | 4.5 cm                                 |
| Controller                        | PG new VR2-40A/Dynamic LiNX-40A:QM1065 |
|                                   | Dynamic LiNX-60A/PG VR2-70A:QM1065HD   |
| Maximum Battery size              | 12V35AH*2/12V55AH*2(NF22)              |
| Back-up battery(optional)         | N/A                                    |
| Charger                           | 3.5/5A off-board                       |
| Electro-Mechanical Brake          | Yes                                    |
| Suspension System                 | NO                                     |
| Seat lift motor                   | Optional                               |
| Dimensions                        |                                        |
| Overall Length                    | 86 cm                                  |
| Overall Width                     | 62 cm                                  |
| Tires                             |                                        |
| Drive wheel                       | 10"(Middle)                            |
| Caster                            | 6"                                     |
| Anti-tip wheel                    | N/A                                    |
| Standard Seat(optional)           |                                        |
| Width*Depth*Height   Color        | 18"*18"*21"(high back)   Black         |
| Footrest                          |                                        |
| Height adjustable                 | Yes                                    |
| Angle adjustable                  | 0-35 degree                            |
| Available Colors                  |                                        |
| ■ ■                               |                                        |



Quality Life Technologies Co.,Ltd

TEL:86-769-21666596    FAX:86-769-21666596  
E-mail:service1@cnqlt.com    <http://www.cnqlt.com>